


234-1.

THE
J. A. COCHRANE BRASS
MFG. CO.
CLEVELAND
OHIO



Manufacturers of
Plumbing Brass Goods
and Steam Specialties



JAN 26 '26



Complete Catalog "Cochrane Products"



The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



Important—Please Note

THIS Catalog supersedes all others. To avoid errors please give Plate number of each article. All prices are subject to change without notice, and discounts are based on Official Lists.

Terms—60 days net, 2% discount 10 days from date of invoice.

No freight allowance will be made on shipments of less than 200 pounds, and when made to the Jobber's home address only, and freight actually paid will be allowed upon return of paid freight bills, with a maximum freight allowance of \$1.50 per Cwt.

Defective goods through fault of manufacture will be replaced, but we do not allow for Plumber's time, etc.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



INDEX

Articles	Pages
Compression Basin Cocks.....	7-13
Kwik Basin Cocks.....	14-16
Bath Cocks.....	17-19
Bath Cock Couplings.....	20
Compression Bibbs.....	22-37
Kwik Bibbs.....	39-43
Compression Stops.....	44
Lavatory Stops.....	45-47
Compression Stop & Wastes.....	49
Tray Bibbs.....	50-53
Sill Cocks.....	55-57
Boiler Drain Cocks.....	58-59
N. Y. Trap Bodies.....	60
Offset For Traps.....	61
Expansion Tank Gauges.....	62
Water Gauges.....	63
Waste & Overflows.....	66-67
Tubular Traps.....	68-69
Adjustable Sink Traps.....	70
Bath & Basin Supplies.....	71-73
P. O. Plugs.....	74
Slip Joint Closet Ells.....	75



Basin Cocks

WE manufacture a large and complete line of Compression and Kwik Basin Cocks to meet every requirement.

Expert workmanship, heavily plated, thoroughly tested and inspected before leaving factory.

All Basin Cocks are fitted with $\frac{1}{4}$ " threaded tail pieces unless otherwise specified. If wanted less tail pieces state size of tube to be used.

Packed three hot and three cold in a box.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



No. 2 C. I. Compression Basin Cock

“King of Midgets”




Plate 50—Length of Spout, 3"



No. 4 C. I. Compression Basin Cock



Plate 55—Length of Spout, $3\frac{3}{8}$ "



No. 48 C. I. Compression
Basin Cock



Plate 60—Length of Spout, $3\frac{3}{8}$ " , Heavy Pattern



No. 58 Solid China Handle Basin Cock



Plate 63—Length of Spout, $3\frac{3}{8}$ ", Heavy Pattern



No. 7 C. I. Compression Basin Cock




Plate 68—Length of Spout, $3\frac{5}{8}$ ", Heavy Pattern

Plate 69—No. 27 same as No. 7, except with Four Arm Solid China Handle



No. 0 Tee Handle Compression Basin Cock



Plate 72

Plate 72—Length of Spout, $3\frac{3}{8}$ "

Plate 73—No. 0 with Plain Cross Handle



No. 1 Cross Handle Compression Basin Cock



Plate 74

Plate 74—Length of Spout, $3\frac{3}{8}$ "

Plate 75—No. 1 with Plain Tee Handle



No. 12 KWIK Basin Cock




Plate 80—Length of Spout, 3"



No. 14 KWIK Basin Cock



Plate 82—Length of Spout, $3\frac{3}{8}$ "



No. 38 KWIK Basin Cock



Plate 84—Length of Spout, $3\frac{3}{8}$ ", Heavy Pattern



No. 3 C. I. Compression Bath Cock



Plate 90

Plate 92—No. 23 same as No. 3, except with Four Arm Solid China Handles

Plate 94—No. 13 same as No. 3, except Kwik with China Lever Handles

All the above Bath Cocks have N. A. B. M. Standard Shanks fitted with Loose
Flanges



No. 0 C. I. Compression Bath Cock




Plate 96—Shanks on No. 0 Bath Cocks are N. A. B. M. Standard



No. 0 KWIK Bath Cock





Plate 98—Shanks on No. 0 Kwik Bath Cocks are N. A. B. M. Standard



Bath Cock Couplings

Left



Right




Plate 110

Nickel Plated Ball Offset Couplings

All Coupling Nuts have $\frac{3}{4}$ " Iron Pipe Thread




Plate 112

Iron Pipe




Plate 113

Lead Pipe

All Couplings are made in $\frac{3}{8}$ " and $\frac{1}{2}$ " Iron Pipe and $\frac{5}{8}$ " Fine Thread, Rough Nickel Plated or Polished Nickel Plated



Compression Bibbs

COMPRESSION Bibbs of our manufacture are of standard weight and size.

Have encased washers and raised seats.

Well finished, thoroughly tested and inspected before leaving factory.

Packed 6 in a box.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



Compression Plain Bibbs Iron Pipe



Plate 140—Rough Brass

Plate 141—Finished Brass

Plate 142—Nickel Plated

Sizes to 1" in Iron Pipe



Compression Hose Bibbs Iron Pipe



Plate 150—Rough Brass
Plate 151—Finished Brass
Plate 152—Nickel Plated
Sizes to 1" in Iron Pipe



Compression S. O. T. Plain Bibbs

No Hex.



Plate 160—Rough Brass
Plate 162—Finished Brass
Plate 164—Nickel Plated



Compression S. O. T. Hose Bibbs

No Hex.



- Plate 161**—Rough Brass Hose
Plate 163—Finished Brass Hose
Plate 165—Nickel Plated Hose



Compression S. O. T. Plain and Hose Bibbs

With Hex.



- Plate 170—Rough Brass, Plain
Plate 171—Rough Brass, Hose
Plate 172—Finished Brass, Plain
Plate 173—Finished Brass, Hose
Plate 174—Nickel Plated, Plain
Plate 175—Nickel Plated, Hose



Compression S. O. T. Plain and Hose Bibbs

With Hex.
China Index



Shank $2\frac{3}{8}$ " Long

Plate 182—Finished Brass, Plain

Plate 183—Finished Brass, Hose

Plate 184—Nickel Plated, Plain

Plate 185—Nickel Plated, Hose



Compression Female Flange Plain and Hose Bibbs



Plate 192—Finished Brass, Plain

Plate 193—Finished Brass, Hose

Plate 194—Nickel Plated, Plain

Plate 195—Nickel Plated, Hose



Compression Female Flange Plain and Hose Bibbs

China Index



- Plate 202—Finished Brass, Plain
Plate 203—Finished Brass, Hose
Plate 204—Nickel Plated, Plain
Plate 205—Nickel Plated, Hose



Compression Male Flange Plain and Hose Bibbs



Plate 212—Finished Brass, Plain

Plate 213—Finished Brass, Hose

Plate 214—Nickel Plated, Plain

Plate 215—Nickel Plated, Hose



Compression Male Flange Plain and Hose Bibbs

China Index




Plate 222—Finished Brass, Plain

Plate 223—Finished Brass, Hose

Plate 224—Nickel Plated, Plain

Plate 225—Nickel Plated, Hose



Compression Male Flange Plain and Hose Bibbs

No Hex.



Plate 232—Finished Brass, Plain

Plate 233—Finished Brass, Hose

Plate 234—Nickel Plated, Plain

Plate 235—Nickel Plated, Hose



Compression Male Flange Plain and Hose Bibbs

No Hex.

China Index




Plate 242—Finished Brass, Plain

Plate 243—Finished Brass, Hose

Plate 244—Nickel Plated, Plain

Plate 245—Nickel Plated, Hose



Compression Set Screw Flange Plain and Hose Bibbs



Plate 252—Finished Brass, Plain

Plate 253—Finished Brass, Hose

Plate 254—Nickel Plated, Plain

Plate 255—Nickel Plated, Hose



Compression Set Screw Flange Plain and Hose Bibbs

China Index




Plate 262—Finished Brass, Plain

Plate 263—Finished Brass, Hose

Plate 264—Nickel Plated, Plain

Plate 265—Nickel Plated, Hose



Compression Adjustable Screw Flange Plain and Hose Bibbs



Plate 272—Finished Brass, Plain

Plate 273—Finished Brass, Hose

Plate 274—Nickel Plated, Plain

Plate 275—Nickel Plated, Hose



Compression Adjustable Screw Flange Plain and Hose Bibbs

China Index



Plate 282—Finished Brass, Plain

Plate 283—Finished Brass, Hose

Plate 284—Nickel Plated, Plain

Plate 285—Nickel Plated, Hose



KWIK Work

ALL Kwik Bibbs, Bath Cocks and Basin Cocks are fitted with Handles adjustable to any position.

Composition rubber encased washers and raised seats, thoroughly reliable under any pressure.

Brass Bar extends entirely through china handle making for strength and durability.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



KWIK China Handle Female Flange Plain and Hose Bibbs



Plate 406—Nickel Plated Brass Handle, Plain

Plate 407—Nickel Plated Brass Handle, Hose

Plate 408—Nickel Plated China Handle, Plain

Plate 409—Nickel Plated China Handle, Hose



KWIK China Handle Male Flange Plain and Hose Bibbs



- Plate 416—Nickel Plated, Brass Handle, Plain
Plate 417—Nickel Plated Brass Handle, Hose
Plate 418—Nickel Plated China Handle, Plain
Plate 419—Nickel Plated China Handle, Hose



KWIK China Handle S. O. T. Plain and Hose Bibbs




Plate 426—Nickel Plated Brass Handle, Plain


Plate 427—Nickel Plated Brass Handle, Hose

Plate 428—Nickel Plated China Handle, Plain

Plate 429—Nickel Plated China Handle, Hose



KWIK China Handle Set Screw Flange Plain and Hose Bibbs



- Plate 436—Nickel Plated Brass Handle, Plain
Plate 437—Nickel Plated Brass Handle, Hose
Plate 438—Nickel Plated China Handle, Plain
Plate 439—Nickel Plated China Handle, Hose



KWIK China Handle Adjustable Screw Flange Plain and Hose Bibbs




Plate 446—Nickel Plated Brass Handle, Plain

Plate 447—Nickel Plated Brass Handle, Hose

Plate 448—Nickel Plated China Handle, Plain

Plate 449—Nickel Plated China Handle, Hose



Compression Stops



Straight Stops with Stuffing Box

Plate 500—Rough, Tee Handle

Plate 501—Finished, Tee Handle

Plate 502—Nickel Plated, Tee Handle

Straight Stops less Stuffing Box

Plate 510—Rough, Tee Handle

Plate 511—Finished, Tee Handle

Plate 512—Nickel Plated, Tee Handle

Angle Stops with Stuffing Box

Plate 520—Rough, Tee Handle

Plate 521—Finished, Tee Handle

Plate 522—Nickel Plated, Tee Handle

Angle Stops less Stuffing Box

Plate 530—Rough, Tee Handle

Plate 531—Finished, Tee Handle

Plate 532—Nickel Plated, Tee Handle



Lavatory Stops



For Plate Numbers and Description, see pages 46-47

Note—When ordering Slip Joint Stops, specify outside diameter of tubing



Lavatory Stops

Straight Stops with Stuffing Box

Plate 600—Nickel Plated, Wheel Handle, Iron Pipe Both Ends

Plate 601—Nickel Plated, Tee Handle, Iron Pipe Both Ends

Plate 602—Nickel Plated, China Index, Iron Pipe Both Ends

Straight Stops Less Stuffing Box

Plate 610—Nickel Plated, Wheel Handle, Iron Pipe Both Ends

Plate 611—Nickel Plated, Tee Handle, Iron Pipe Both Ends

Plate 612—Nickel Plated, China Index, Iron Pipe Both Ends

Angle Stops with Stuffing Box

Plate 620—Nickel Plated, Wheel Handle, Iron Pipe Both Ends

Plate 621—Nickel Plated, Tee Handle, Iron Pipe Both Ends

Plate 622—Nickel Plated, China Index, Iron Pipe Both Ends

Angle Stops less Stuffing Box

Plate 630—Nickel Plated, Wheel Handle, Iron Pipe Both Ends

Plate 631—Nickel Plated, Tee Handle, Iron Pipe Both Ends

Plate 632—Nickel Plated, China Index, Iron Pipe Both Ends

Loose Key Stops with Stuffing Box

Plate 644—Nickel Plated, Straight, Iron Pipe Both Ends

Plate 645—Nickel Plated, Angle, Iron Pipe Both Ends



Lavatory Slip Joint Stops

Straight Slip Joint Stops with Stuffing Box

Plate 656—Nickel Plated, Wheel Handle, Slip Joint One End

Plate 657—Nickel Plated, Tee Handle, Slip Joint One End

Plate 658—Nickel Plated, China Index, Slip Joint One End

Straight Slip Joint Stops less Stuffing Box

Plate 666—Nickel Plated, Wheel Handle, Slip Joint One End

Plate 667—Nickel Plated, Tee Handle, Slip Joint One End

Plate 668—Nickel Plated, China Index, Slip Joint One End

Angle Slip Joint Stops with Stuffing Box

Plate 676—Nickel Plated, Wheel Handle, Slip Joint One End

Plate 677—Nickel Plated, Tee Handle, Slip Joint One End

Plate 678—Nickel Plated, China Index, Slip Joint One End

Angle Slip Joint Stops less Stuffing Box

Plate 686—Nickel Plated, Wheel Handle, Slip Joint One End

Plate 687—Nickel Plated, Tee Handle, Slip Joint One End

Plate 688—Nickel Plated, China Index, Slip Joint One End

If wanted in Polished Brass, use same Plate Numbers but specify accordingly;
otherwise Nickel Plated always furnished



Compression Stop and Waste

ARE packed three right and three left in a box. Made of the best Red Metal and are thoroughly inspected and tested under hydraulic pressure.

Raised seat, encased composition rubber washer and best grade of packing around stem.

A high grade article and fully guaranteed.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



The "Cochrane" Compression Stop and Waste






Plate 700—Red Metal, Soft Seat on Waste
Made in $\frac{1}{2}$ " and $\frac{3}{8}$ " only



Heavy Stub Tray Bibbs



Male, Plain




Male, Hose


- Plate 720—Rough Nickel Plated, Plain
- Plate 721—Rough Nickel Plated, Hose
- Plate 722—Finished Brass, Plain
- Plate 723—Finished Brass, Hose
- Plate 724—Nickel Plated, Plain
- Plate 725—Nickel Plated, Hose



Heavy Stub Tray Bibbs



Female, Plain



Female, Hose

Plate 730—Rough Nickel Plated, Plain

Plate 731—Rough Nickel Plated, Hose

Plate 732—Finished Brass, Plain


Plate 733—Finished Brass, Hose

Plate 734—Nickel Plated, Plain

Plate 735—Nickel Plated, Hose



Standard Pattern Tray Bibbs



Male, Plain


Distance from Flange to Center of Spout 1"
Standard Pattern as shown 9 ozs.

Made in Plain End Only

Plate 750—Rough Nickel Plated, Plain

Plate 751—Finished Brass, Plain

Plate 752—Nickel Plated, Plain



Female, Plain

Made in both Plain and Hose Ends

Plate 760—Rough Nickel Plated, Plain

Plate 761—Rough Nickel Plated, Hose

Plate 762—Finished Brass, Plain

Plate 763—Finished Brass, Hose

Plate 764—Nickel Plated, Plain

Plate 765—Nickel Plated, Hose



S. O. T. Pattern Tray Bibbs




Plate 770—Finished Brass

Plate 771—Nickel Plated



Sill Cocks

WHEN ordering Sill Cocks please state whether Boston Pattern or Junior Pattern, also be sure to specify size and if Loose Key or Wheel Handle.

No extra charge for Loose Key on either pattern. Definite instructions insure speedy delivery.

Packed 6 in a box.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



Boston Pattern Sill Cocks



Plate 780—Rough Nickel Plated, Wheel Handle

Plate 781—Rough Nickel Plated, Loose Key

Plate 782—Polished Nickel Plated, Wheel Handle

Plate 783—Polished Nickel Plated, Loose Key

Wheel Handle or Loose Key

Large Full Water Way

Made in $\frac{1}{2}$ " and $\frac{3}{4}$ " sizes



Junior Pattern Wheel Handle Sill Cocks




Plate 790—Rough Nickel Plated, Wheel Handle
Raised Seat, Encased Washer
Made in $\frac{1}{2}$ " and $\frac{3}{4}$ " sizes



Junior Pattern Loose Key Sill Cocks




Plate 793—Rough Nickel Plated, Loose Key

Plate 796—Rough Nickel Plated, Combination Wheel and Loose Key

Raised Seat, Encased Washer

Made in $\frac{1}{2}$ " and $\frac{3}{4}$ " sizes



Boiler Drain Cocks Wheel Handle




Plate 800

Plate 800—Rough Nickel Plated, Wheel Handle, Male

Plate 801—Rough Nickel Plated, Wheel Handle, Female

Raised Seat, Encased Washer

$\frac{1}{2}$ " and $\frac{3}{4}$ " Male or Female



Boiler Drain Cocks Tee Handle



Plate 804


Plate 804—Rough Nickel Plated, Tee Handle, Male

Plate 805—Rough Nickel Plated, Tee Handle, Female

$\frac{1}{2}$ " and $\frac{3}{4}$ " Male or Female




New York Trap Bodies



Male

Plate 900— $1\frac{1}{2}$ " Nickel Plated, New York Trap Body, Male



Female

Plate 905— $1\frac{1}{2}$ " Nickel Plated, New York Trap Body, Female
Made with Slip Joint Inlet for $1\frac{1}{4}$ " Tail Piece



Double Offset For N. Y. Traps




Plate 910

Cast Elbows, Wrought P. O. Plugs

Plate 910— $1\frac{1}{4}$ " Nickel Plated, Double Offset with P. O. Plug

Plate 912— $1\frac{1}{4}$ " Nickel Plated, Double Offset with P. O. Plug and New York Male Trap Body

Plate 914— $1\frac{1}{4}$ " Nickel Plated, Double Offset with P. O. Plug and New York Female Trap Body

Also furnished packed complete with New York Trap Bodies
Packed one set in a box



Expansion Tank Gauge

Bronzed Body





Plate 915

Size of Shank $\frac{1}{2}$ ", Size of Glass, $\frac{5}{8}$ "x12", Sold without Glass



Water Gauges



No.	Size of Glass	Style of Finish	Wheel	Shank, Inches
1	$\frac{5}{8} \times 12$	Bronzed	Iron	$\frac{1}{2}$
5	$\frac{5}{8} \times 12$	Polished	Iron	$\frac{1}{2}$
3	$\frac{3}{4} \times 16$	Bronzed	Iron	$\frac{3}{4}$
6	$\frac{3}{4} \times 16$	Polished	Iron	$\frac{3}{4}$
Self-Cleaning				



Memoranda



Tubular Goods

For convenience in ordering please note the following:

Traps and Waste and Overflows are packed 50 pieces to the case.

Angle and Straight Tapered Basin Supplies 50 pairs to the case.

Iron Pipe Size Basin and Bath Supplies 100 pairs to the case.

1 $\frac{1}{4}$ " Closet Ells and P. O. Plugs in any Quantity.

We regularly pack in quantities as above, but can furnish in smaller lots when necessary.

Please order by plate number and state size.

The J. A. Cochrane Brass Mfg. Co.
Cleveland, Ohio



Connected Waste and Overflow




Plate 960—Nickel Plated, 22 Gauge Wrought Brass C. W. and O.
Long Tee, Adjustable, Size $1\frac{3}{8}$ "



Connected Waste and Overflow




Plate 965—Nickel Plated, 22 Gauge Cast Brass C. W. and O.
Long Tee, Adjustable, Size $1\frac{3}{8}$ "



Tubular P Traps




Plate 970

Plate 970—Nickel Plated, 20 Gauge P Trap, with Plug

Plate 971—Nickel Plated, 20 Gauge P Trap, less Plug

Made in $1\frac{1}{4}$ " and $1\frac{1}{2}$ " sizes

When ordering $1\frac{1}{2}$ " Traps, less Plugs, state if with $1\frac{1}{4}$ " or $1\frac{1}{2}$ " Inlet



Tubular S Traps



Plate 975

Plate 975—Nickel Plated, 20 Gauge S Trap, with Plug

Plate 976—Nickel Plated, 20 Gauge S Trap, less Plug

Made in $1\frac{1}{4}$ " and $1\frac{1}{2}$ " sizes

When ordering $1\frac{1}{2}$ " Traps, less Plugs, state if with $1\frac{1}{4}$ " or $1\frac{1}{2}$ " Inlet



Adjustable Sink Traps

Satin Finish




Plate 1000

Made in $1\frac{1}{4}$ " and $1\frac{1}{2}$ " sizes


$1\frac{1}{4}$ " Traps have outlets tapped $1\frac{1}{4}$ " Iron Pipe, Female Thread

$1\frac{1}{2}$ " Traps have outlets tapped $1\frac{1}{2}$ " Iron Pipe, Female Thread

When Ordering $1\frac{1}{2}$ " Traps state whether with $1\frac{1}{4}$ " or $1\frac{1}{2}$ " Inlet



Annealed Offset Bath Supply Pipes



Complete with Nickel Plated
and Polished Coupling Nuts,
Flanges and Slip-Joint Nuts
for $\frac{1}{2}$ " Iron Pipe at floor.

Coupling Nuts conform to
N. A. B. M. Standard.

Plate 1015

Size $\frac{9}{16}$ ", 14 and 18 Gauge Tubing



Straight Bath and Basin Supplies

Iron Pipe Sizes 12 and 14 Gauge



Plate 1020




Plate 1026




Plate 1030

Always state if with or without Flanges, Reducers or Couplings



Tapered End Basin Supplies




Plate 1034

Size $\frac{9}{16}$ " , 16 Gauge Tapered to $\frac{7}{16}$ " on End
Straight Supplies 30" long
Angle Supplies 10" by $6\frac{1}{2}$ " to Wall




Plate 1036

Both Straight and Angle
patterns are fitted complete
with Flanges, Washers and
Slip Joint Nuts for $\frac{1}{2}$ " Iron
Pipe



Wrought P. O. Plug




Plate 1040—Size $1\frac{1}{4}$ " with Tail Piece $5\frac{1}{4}$ " long under flange



N. P. Closet Slip Joint Ell




Plate 1045—Polished Nickel Plated

Plate 1046—Satin Finish

Complete as Shown, Length 4"



No. 99
K W I K
BATH COCK
CHINA HANDLES




Plate 99

OUR NEW PATTERN KWIK
COMPRESSION BATH COCK

Manufactured by
The J. A. Cochrane Brass Mfg. Co.
CLEVELAND, OHIO



COMBINATION
SINK or TRAY
FIXTURE
Swinging Spout




Plate 120

Kwik China Handle Female Valves
with Loose Flanges adjustable to 8 inch centers

Also made with Hose End Spout,
in either Full Nickel or Rough N. P. and
with Brass Handles

Manufactured by
The J. A. Cochrane Brass Mfg. Co.
CLEVELAND



"PREMIER"

Combination Loose Key and Wheel
Handle Sill Cock




Plate 784

Large, Full Water Way

THE
J. A. COCHRANE BRASS MFG. CO.
CLEVELAND, OHIO



